J. Auton. Pharmacol. (1990) **10**, 385–390

Author Index

Abrahamsen J. & Nedergaard O.A.: Adrenergic modulation of noradrenaline release from sympathetic neurones in rabbit ear artery: role of cyclic-AMP, 8

Akahane K., Furukawa Y., Karasawa Y. & Chiba S.: Muscarinic receptor subtypes mediating negative chrono- and inotropic responses in isolated, blood-perfused dog right atria, 39

Akpogomeh B.A. & Johns E.H.: The α-adrenoceptor mediating the tubular actions of the renal nerves in spontaneously hypertensive rats, 201

Al-Attar T., *see* Broadley K.J.

Alaoui K., *see* Roquebert J.

Albino-Teixeira A., Matias A., Soares-Da-Silva P., Sarmento A. & Azevedo I.: Effects of sympathetic denervation on liver fibroblasts: prevention by adenosine, 181

Albino-Teixeira A., Polonia J. & Azevedo I.: Sympathetic denervation causes atrial granules to appear in the ventricular myocardium, 9
see also Sarmento A.

Amenta F. & Ricci A.: Autoradiographic localization of dopamine DA-1 receptors in the rat renal vasculature using [^{3}H]-SCH 23390 as a ligand, 373

Araujo D., *see* Branco D.
see also Brandao F.

Armah B.I., Molderings G.J. & Gothert M.: Effect of temperature on α_2- and α_1-adrenoceptor-mediated responses in the pithed rat and in the rat vena cava, 249

Armstrong J.M., *see* Hicks P.E.
see also Martin D.J.

Asada Y., *see* Yamamoto R.

Austin C.E. & Chess-Williams R.: Effects of aldose reductase inhibition on the enhanced cardiac β-adrenoceptor responsiveness in diabetic rats, 9

Azevedo I., Matias A. & Ferreira-de-Almeida J.: Is there a β_1-adrenoceptor mediated uptake of catecholamines?, 10

Azevedo I. & Moura D. (Eds): Proceedings of the 7th Meeting on Adrenergic Mechanisms, Porto, Portugal, 30 September–3 October 1989, 3
see also Albino-Teixeira A.
see also Sarmento A.

Bansinath M., *see* Ramabadran K.

Baroldi P., *see* Maggi C.A.

Barras M., *see* Hicks P.E.

Bernardini M.C., *see* Blandizzi C.

Bernardo F., *see* Polonia J.J.

Bhave S.V., *see* Wakade T.D.

Blandizzi C., Bernardini M.C., Vizi E.S. & Del Tacca M.: Modulation of gastric acid secretion by peripheral presynaptic α_2-adrenoceptors at both sympathetic and parasympathetic pathways, 305

Bognar I., *see* Fuder H.

Bonisch H. & Michael-Hepp J.: ^{3}H-desipramine binding to the uptake$_1$-carrier of bovine adrenal medulla, 10

Borges N., *see* Sarmento A.

Branco D., Caramona M., Araujo D., Ferreira-de-Almeida J. & Osswald W.: Metabolism of noradrenaline in human blood vessels, 11

Brandao F., Araujo D., Vaz-da-Silva M. & Guilherme Monteiro J.: The intraneuronal disposition of ^{3}H-noradrenaline (^{3}H-NA) released by electrical stimulation (ST), 11
see also Polonia J.J.

Broadley K.J. & Taghreed Al-Attar: Temperature-dependence of α-receptor sub-types, 12

Brown D.J., *see* Krum H.

Bryan L.J.: How many different uptake processes exist for catecholamines?, 3

Bryan L.J.: Catechol-O-methyltransferase (COMT) in pulmonary endothelial cells of rat perfused lungs has a higher activity than monoamine oxidase (MAO) but is saturated

at low concentrations of noradrenaline (NA), 12
Burke J.A., *see* Potter D.E.
Burnstock G., *see* Ellis J.L.
Butterfield M.C. & Chess-Williams R.: Chronic noradrenaline infusions in the rat enhance papillary muscle responses to phenylephrine, 12
Butterfield M.C., Tanihata S., Uchiyama T. & Chess-Williams R.: Cardiac β-adrenoceptor supersensitivity following chronic cholinesterase inhibition, 13

Callingham B.A., *see* Caramona M.M.
see also Elliott J.
Caramona M.M., Elliott J., Sharman D.F. & Callingham B.A.: Fluorimetric and radiochemical estimation of amine oxidase activities in rat liver mitochondria, 13
Caramona M.M., Elliott J., Sharman D.F. & Callingham B.A.: Vasodilator agents in the perfused mesenteric arterial bed of the rat, 14
see also Branco D.
Carpenter F.: Atropine-resistant transmission in partially depolarized rat urinary bladder, 97
Castro M., *see* Vale F.
Cavero I. & Thiry C.: Validation of a novel technique allowing assessment of the functional role of cardiac prejunctional receptors in the rat, 75
Cherian G., *see* De Sousa P.
Chess-Williams R., *see* Austin C.E.
see also Butterfield M.C.
Chiba S., *see* Akahane K.
Cho A., *see* Nedergaard O.A.
Chowdhury M., *see* Filenz M.
Cunnane T.C. & Evans R.J.: Nature and localization of the transmitter mediating EJPs in the rabbit jejunal artery, 14
Cunnane T.C., Starke K. & Wardell C.F.: An electrophysiological analysis reveals α-autoinhibition in the guinea-pig vas deferens, 15
Cutler M.G., Mair J. & Moore M.R.: Pharmacological activities of delta-aminolaevulinic acid, protoporphyrin IX and haemin in isolated preparations of rabbit gastric fundus and jejunum, 119

Dalhof C., *see* Dalhof P.
see also Tarizzo V.L.
Dalhof P., Lundberg J.M. & Dalhof C.: Effect of captopril on plasma level of neuropeptide Y (NPY)-like immunoreactivity in the pithed guinea-pig, 15
Daly C.J., McGrath J.C. & Wilson V.G.: Angiotensin II selectively potentiates 'innervated' post junctional α_2-adrenoceptors in the rabbit isolated plantaris vein, 16
Daly C.J., McGrath J.C. & Wilson V.G.: Calcium-coupling mechanisms and venous α_2-adrenoceptors: the effects of angiotensin II, 16
De Luca A. & Rand M.J.: Responses of rat isolated intestinal segments to stimulation of perivascular mesenteric nerve fibres, 323
De Sousa P., Cherian G. & Thulesius O.: Effect of nicotine and β-blockers on ovine coronary arteries, 17
Del Tacca M., *see* Blandizzi C.
Dettmar P.W., *see* Williams R.J.
Dias P., *see* Polonia J.J.
Docherty J.R.: Age-related differences in the depressor responses to sodium nitroprusside and nifedipine in anaesthetized rats, 49
Doggrell S.A.: Effects of bromoacetylalprenololmenthane (BAAM), an irreversible β-adrenoceptor antagonist, on the rat isolated left atria and portal vein, 333
Downing O.A., *see* Williams R.J.
Du Cros L. & Marcelon G.: α_1- and α_2-adrenergic binding in canine saphenous vein, 17
Dunn W.R., McGrath J.C. & Wilson V.G.: Effect of angiotensin I on post-junctional α_2-adrenoceptor-mediated responses, 18

Eglen R.M. & Whiting R.L.: Heterogeneity of vascular muscarinic receptors, 233
Elfellah M.S. & Reid J.L.: Effect of chronic pretreatment of guinea-pigs with β-adrenoceptor agonists on the Na^+, K^+-pump in skeletal muscle, 227
Elliott J. & Callingham B.A.: Effect of benzylamine on responses of the isolated perfused mesenteric arterial bed of the rat, 18
see also Caramona M.M.
Ellis J.L. & Burnstock G.: Modulation by prostaglandin E_2 of ATP and noradrenaline co-transmission in the guinea-pig vas deferens, 363
Elnatan J., *see* Williams D.W.
Esteves A., *see* Polonia J.J.
Evans R.J., *see* Cunnane T.C.

Fernandes M.H. & Soares-da-Silva P.: An *in*

vitro study on the synthesis and deamination of dopamine in the rat kidney, 25
Fernandes M.H. & Soares-da-Silva P.: Influence of sodium-chloride on the *in vitro* synthesis of dopamine in the rat kidney, 25
see also Soares-da-Silva P.
Ferreira-de-Almeida J., *see* Azevedo I.
see also Branco D.
Ferro A., *see* Polonia J.J.
Filenz M. & Chowdhury M.: Glutamate regulates dopamine synthesis, 19
Flavahan N.A.: α_2-adrenoreceptors, Gi-protein and the release of endothelium-derived relaxing factor, 4
Fontes Ribiero C.A., *see* Macedo T.R.A.
Foucart S., *see* Musgrave I.F.
Fronek K.: Adrenergic innervation and its trophic influence on arterial wall, 19
Fuder H. & Bognar I.: M_2- or M_3-selective antagonists differentiate between muscarine receptors mediating inhibition of stimulation-evoked [^{3}H]-noradrenaline overflow and contraction of the sphincter muscle in the iris, 20
Funke K., *see* Ohlrogge R.
Furukawa Y., *see* Akahane K.

Garret M.C. & Soares-da-Silva P.: Administration of ethanol blunts the increasing effects of presynaptic DA receptor blockade on endogenous dopamine release from the rat striatum and nucleus accumbens, 20
Gellotte M., *see also* Martin D.J.
Goncalves J. & Guimaraes S.: Relationship between post-junctional α-adrenoceptors and sympathetic nerve terminals in the epididymal and prostatic portions of the rat vas deferens, 22
Gothert M. & Molderings G.J.: Blockade or stimulation of presynaptic α_2-adrenoceptors on sympathetic nerve terminals modify presynaptic 5-HT receptor function in the rat vena cava, 22
see also Armah B.I.
Guilherme Monteiro J.: Efflux of noradrenaline (NA) induced by ouabain. Influence of Ca^{2+} and of electrical stimulation (ST), 23
see also Brandao F.
Guimaraes S. & Nunes J.P.: Two distinct kinds of postsynaptic α_1-adrenoceptors in the veins of the canine limbs, 23
Guimaraes S., Paiva M.Q., Moura D. & Vaz C.: α_2-autoinhibition in vessels of newborn animals, 24
see also Goncalves J.
see also Proenca J.
see also Vaz-da-Silva M.J.

Halbrugge T., Schonfeld C.-L., Schomig E. & Trendelenburg U.: The inhomogeneity of the distribution of neuronal ^{3}H-noradrenaline (^{3}H-NA) in the rat vas deferens, 24
Hardebo J.E., *see* Szabó Cs.
Hay D.W.P., *see* Patra P.B.
Hedler L., *see* Szabó B.
Hegde S.S., *see* Lokhandwala M.F.
Herman G., *see* Hicks P.E.
Hernandez J., Laorden M.L. & Ribiero J.A.: Adenosine and ventricular automaticity: role of catecholamines, 26
Hicks, P.E., *see* Martin D.J.
Holmes E.P., *see* Venugopalan C.S.
Holt A., *see* Lyles G.A.
Howes L.G., *see* Krum H.

Illes P., Munch G., Raether A. & Norenberg W.: Dopamine inhibits the depolarizing, but not the contractile activity of prostaglandin $F_{2\alpha}$ in rabbit jejunal arteries, 27
Iriarte C.F., *see* Pascual R.

Jansakul C. & King R.G.: Effects of pregnancy and endothelial cell removal on α-adrenoceptor-mediated responses of rat thoracic aortae, 353
Johns E.J., *see* Akpogomeh B.A.

Karasawa Y., *see* Akahane K.
Keith R.A., LaMonte D. & Salama A.I.: Neomycin and ω-conotoxin GVIA interact at a common neuronal site in peripheral tissues, 139
Kerr P., McGrath J.C., Templeton A.G.B. & Wilson V.G.: Active vascular tone non-selectively uncovers responses to both α_1-and α_2-adrenoceptor imidazoline agonists in the rat tail, 27
Kicks P.E., Barras M., Herman G., Mauduit P., Armstrong J.M. & Rossignol B.: On the α-adrenoceptor subtypes in dog saphenous veins that are stimulated by phenylephrine *in vitro*, 26
King R.G., *see* Jansakul C.

Kondo T. & Magee D.F.: Cholecystokinin and cholinergic agents on periodic gallbladder contraction in dogs, 191
Krum H., Brown D.J., Rowe P.R., Louis W.J. & Howes L.G.: Steady state plasma [^{3}H]-noradrenaline kinetics in quadriplegic chronic spinal cord injury patients, 221

LaMonte D., *see* Keith R.A.
see also Pullan L.M.
Laorden M.L., *see* Hernandez J.
Limberger N. & Spath L.: Pulse-to-pulse modulation of the release of ^{3}H-dopamine (^{3}H-DA) and ^{3}H-acetylcholine (^{3}-ACh) by endogenous DA in rabbit caudate nucleus, 28
Lokhandwala M.F. & Hegde S.S.: Renal dopamine receptors and natriuresis: characterization of receptors and signal transduction systems, 5
Louis W.J., *see* Krum H.
Lundberg J.M., *see* Dalhof P.
Lyles G.A.: Biogenic and xenobiotic amines as potential substrates for vascular semicarbazide-sensitive amine oxidase, 7
Lyles G.A. & Holt A.: Metabolism by human plasma amine oxidase, 28

McGrath J.C., *see* Daly C.J.
see also Kerr P.
Macara B., *see* Rico J.M.G.T.
Macedo T.R.A., Porfirio M.H.S. & Fontes Ribiero C.A.: 5-hydroxytryptamine increases apomorphine-induced relaxation of the human uterine artery, 29
Magee D.F., *see* Kondo T.
Mair J., *see* Cutler M.G.
Majewski H., *see* Musgrave I.F.
Malhotra R.K., *see* Wakade A.R.
see also Dunn W.R.
Marcelon G., *see* Ducros L.
Martin D.J., Gellotte M., Armstrong J.M. & Hicks P.E.: Pulmonary and systemic haemodynamic effect of cromakalim in conditions of normaxia and hypoxia in dogs, 261
Martins J.C., *see* Vale F.
Matias A., *see* Azevedo I.
see also Albino-Teixeira A.
Mauduit P., *see* Hicks P.E.
Medina J.L., *see* Polonia J.J.
Meli A., *see* Maggi C.A.
Michael-Hepp J., *see* Bonisch H.
Molderings G.J., *see* Armah B.I.
see also Gothert M.
Moleraar P., *see* Williams D.W.
Moore M.R., *see* Cutler M.G.
Morán Benito A., *see* Roquebert J.
Morcillo E., *see* Pascual R.
Moura D., *see* Azevedo I.
see also Guimaraes S.
see also Vaz-da-Silva M.J.
Munch G., *see* Illes P.
Musgrave I.F., Foucart S & Majewski H.: Angiotensin II enhances noradrenaline release through protein kinase C, 29

Nedergaard O.A. & Cho A.: Effects of xylamine on vascular neuroeffector transmission, 29
see also Abrahamsen J.
Norenberg W., *see* Illes P.
Noronha-Blob L., *see* Peterson J.S.
Nunes J.P., *see* Guimaraes S.
see also Polonia J.J.

Ogidigben M.J., *see* Potter D.E.
Ohlrogge R., Funke K. & Schror K.: Effects of indomethacin on noradrenaline release during myocardial ischaemia and repefusion, 30
O'Malley N.A., *see* Venugopalan C.S.
Osswald W., *see* Branco D.
see also Villanueva M.M.

Paiva M.Q., *see* Guimaraes S.
Palaty V.: Inhibition of recycled dopamine-β-hydroxylase in the isolated rat tail artery, 30
Pascual R., Villanueva M.M., Iriarte C.F. & Morcillo E.: Responses to noradrenaline in sensitized guinea-pig aorta: role of endothelium, 31
Patacchini R., *see* Maggi C.A.
Patra P.B., Wadsworth R.M., Hay D.W.P. & Zeitlin I.J.: The effect of inhibitors of prostaglandin formation on contraction of the rat, rabbit and human vas deferens, 55
Patton A.J., *see* Peterson J.S.
Peterson J.S., Patton A.J. & Noronha-Blob L.: Mini-pig urinary bladder function: comparisons of *in vitro* anticholinergic responses and *in vivo* cystometry with drugs indicated for urinary incontinence, 65
Pillai S.R., *see* Venugopalan C.S.
Pires J.G.P. & Ramage A.G.: Evidence suggesting that the 5-HT$_2$ antagonist ICI 169,369 activates vagal afferents and in addition has a central hypotensive action in anaesthetized rats, 345

Polonia J.J., Nunes J.P.-, Von Hafe P., Vaz-da-Silva M., Ferro A., Esteves A., Bernardo F., Dias P., Medina J.L. & Brandao F.: Low dose infusion of atrial natriuretic factor stimulates vagal afferents and attenuates sympathetic baroreceptor-mediated reflexes in normal volunteers, 31
see also Albino-Teixeira A.
see also Soares-da-Silva P.
Porfirio M.H.S., *see* Macedo T.R.A.
Potter D.E., Burke J.A. & Ogidigben M.J.: Ocular inhibitory effects of the domamine Da_2agonist (Ha-118) in cats and rabbits, 153
Proenca J. & Guimaraes S.: Enhancement by U-0521 or hydrocortisone of hyperglycaemia caused by β-adrenoceptor agonists, 32
Puig M.M., *see* Ramabadran K.
Pullan L.M., Keith R.A., LaMonte D., Stumpo R.J. & Salama A.I.: The polyamine spermine affects ω-conotoxin binding and function at N-type voltage-sensitive calcium channels, 213

Raether A., *see* Illes P.
Ramabadran K., Bansinath M., Turndorf H. & Puig M.M.: Streptozotocin-diabetes attenuates α_2-adrenoceptor agonist-induced delay in small intestinal transit in mice, 163
Ramage A.G., *see* Pires J.G.P.
Rand M.J., *see* De Luca A.
Reid J.L., *see* Elfellah M.S.
Remie R., *see* Zaagsma J.
Ribiero J.A., *see* Hernandez J.
Ricci A., *see* Amenta F.
Rico J.M.G.T. & Macara B.: The antagonism of the effect of di-propranolol (PROP) on the vascular permeability of the rat by isoprenalin (ISO) and dibutyryl cyclic AMP (dBcAMP), 21
Roach A.G., *see* Williams R.J.
Roquebert J., Alaoui K. & Morán Benito A.: Cardiovascular effects of bromocriptine in rats: role of peripheral adrenergic and dopaminergic receptors, 85
Rossignol B., *see* Hicks P.E.
Rowe P.R., *see* Krum H.
Ruff G., *see* Rump L.C.
Rump L.C., Schollmeyer P. & Ruff G.: Prejunctional α_1-adrenoceptors in rabbit renal artery, 32

Salama A.I., *see* Keith R.A.
see also Pullan L.M.
Sarmento A., Borges N., Albino-Teixeira A. & Azevedo I.: Effects of intracerebroventricular noradrenaline on the rat blood-brain barrier morphology and permeability to sodium fluorescein, 33
Sarmento A., *see* Albino-Teixeira A.
Schollmeyer P., *see* Rump L.C.
Schomig E. & Schonfeld C.-L.: Inhibition of neuronal noradrenaline transport ($uptake_1$) by amiloride and ethylisopropylamiloride (EIPA), 33
see also Halbrugge T.
Schonfeld C.-L., *see* Halbrugge T.
see also Schomig E.
Schror K., *see* Ohlrogge R.
Sharman D.F., *see* Caramona M.M.
Soares-da-Silva P., Fernandes M.H. & Polonia J.: α-human atrial natriuretic peptide inhibits the synthesis of dopamine in the rat kidney, 34
see also Albino-Teixeira A.
see also Fernandez N.H.
see also Garrett M.C.
Spath L., *see* Limberger N.
Starke K., *see* Cunnane T.C.
see also Szabó B.
Stumpo R.J., *see* Pullan L.M.
Sumiyoshi A., *see* Yamamoto R.
Summers R.J., *see* Williams D.W.
Szabó B., Hedler L. & Starke K.: Peripheral presynaptic effects of angiotensin II and captopril on noradrenaline release in anaesthetized rabbits, 34
Szabó Cs. & Hardebo J.E.: Characterization of a neurogenic and a direct smooth muscle component in the contractile response to electrical field stimulation in rat tail artery, 283

Takasaki K., *see* Yamamoto R.
Tanihata S., *see* Butterfield M.C.
Tarizzo V.I. & Dalhof C.: Isoprenaline and endogenous adrenaline cause prejunctional β-adrenoceptor-mediated facilitation of noradrenaline release in the pithed rat, 35
Templeton A.G.B., *see* Kerr P.
Theodorsson E., *see* Maggi C.A.
Thiry C., *see* Cavero I.
Thulesius O., *see* De Sousa P.
Trendelenburg U., *see* Halbrugge T.
Turndorf H., *see* Ramabadran K.

Uchiyama T., *see* Butterfield M.C.
Urquhart C.J., *see* Williams R.J.

Vale F., Castro M., Costa Martins J. & Rico J.M.G.T.: Potentiation by lidocaine (LIDO) of the vasoconstrictor effect of phenylephrine (PHEN) in the perfused rat hindquarters, 35
Vaz M., *see* Guimaraes S.
Vaz-da-Silva M.J., Moura D. & Guimaraes S.: The difference between the maximal response to α_1- and α_2-adrenoceptor agonists is not necessarily due to a lack of α_2 adrenoceptors, 36
see also Brandao F.
see also Polonia J.J.
Venugopalan C.S., Holmes E.P. & O'Malley N.A.: Evidence for vasoactive intestinal peptide as a mediation of non-adrenergic non-cholinergic neurotransmission in the trachea, 297
Venugopalan C.S., Holmes E.P., Pillai S.R. & O'Malley N.A.: Epithelial influence on the tracheal non-adrenergic inhibitory response, 273
Villanueva M.M., Soares-da-Silva P. & Osswald W.: Comparison of relaxing responses to the accumulation of cAMP and cGMP in newborn rabbits, 36
Villanueva M.M., Soares-da-Silva P. & Osswald W.: Effects of chemical sympathectomy on the relaxing responses of rabbit arterial smooth muscle, 37
see also Pascual R.
Vizi E.S., *see* Blandizzi C.
Von Hafe P., *see* Polonia J.J

Wadsworth R.M., *see* Patra P.B.
Wakade A.R., Malhotra R.K. & Wakade T.D.: Co-transmission in the rat adrenal medulla, 8
see also Wakade T.D.
Wakade T.D., Bhave S.V. & Wakade A.R.: Relationships between intracellular calcium and release of transmitter in cultured sympathetic neurons, 37
see also Wakade A.R.
Wardell C.F., *see* Cunnane T.C.
Whiting R.L., *see* Eglen R.M.
Williams R.J., Urquhart C.J., Wilson K.A., Downing O.A., Dettmar P.W. & Roach A.G.: α_2-adrenoceptor antisecretory responses in the rat jejunum, 109
Williams D.W., Elnataan J., Molenaar P. & Summers R.J.: Effects of prolonged infusion of dopexamine on β_1- and β_2-adrenoceptors in guinea-pig myocardium, 127
Wilson C.J., *see* Daly C.J.
see also Dunn W.R.
Wilson K.A., *see* Williams R.J.
Wilson V.G., *see* Kerr P.

Yamamoto R., Asada Y., Sumiyoshi A. & Takasaki K.: A new method for simultaneous measurement of endogenous noradrenaline release and vascular responsiveness in perfused rabbit carotid arteries *in vitro*, 313

Zaagsma J. & Remie R.: Characterization of prejunctional muscarinic heteroreceptors in vascular noradrenergic varicosities of the freely moving rat, 38
Zaagsma J. & Remie R.: Function and dysfunction of prejunctional adrenoreceptors in the vasculature of freely moving normotensive and hypertensive rats, 38
Zeitlin I.J., *see* Patra P.B.

J. Auton. Pharmacol. (1990) **10**, 391–394

Subject Index

Acetylcholine, release, 28
Adenosine:
  denervation prevention, 181
  ventricular automaticity, 26
Adrenal medulla:
  cow, 10
  rat, 8
Adrenaline, noradrenaline release, 35
Adrenergic, mechanisms, 3–38
Adrenoceptors:
  agonists, 32, 36, 163, 227
  angiotensin, 16, 18
  antisecretory response, 109
  catecholamine uptake, 10
  dopexamine, 127
  dysfunction, 38
  endothelial cell removal effects, 353
  gastric acid secretion, 305
  hypertensive rats, 201
  imidazoline agonists, 27
  irreversible agonist, 333
  prejunctional, 32
  post-synaptic, two kinds, 23
  relaxing factor, 4
  responsiveness, diabetic rats, 9
  subtypes, dog vein, 26
  temperature effect, 249
  vas deferens, 22
  vena cava, 22, 249
Agonist:
  adrenoceptor, 32, 36, 163, 227
  dopamine, occular effect, 153
Aldose, reductase inhibition, 9
Amiloride, noradrenaline inhibition, 33
Amines:
  biogenic, 7
  oxidase, 7, 13, 28
  xenobiotic, 7
Aminolaevulinic acid, pharmalogical activities, 119
AMP, cyclic, 8, 21, 36
Angiotensin:
  adrenoreceptors, 16, 18
  noradrenaline release, 29, 34, 35
Antagonists, selective, 20
Anticholinergic response, pig bladder, 65
Antisecretory response, adrenoreceptors, 109
Antiserum, tachykinin, 173
Apomorphine-induced, relaxation, 29
Artery:
  carotid, responsiveness, 313
  electrogenic conraction, rat, 283
ATP, co-transmission, vas deferens, 363
Atropine-resistant transmission, 97
Autoinhibition:
  vas deferens, 15
  vessels of newborn animals, 24
Autoradiographic, localization, dopamine receptors, 373

BAAM, irreversible adrenoceptor agonist, 333
Baroreceptor-mediated reflexes, 31
Benzylamine, rat artery, 18
Binding, spermine, 213
Bladder:
  atropine-resistant transmission, 97
  function, pig, 65
Blood, noradrenaline metabolism, 11
Bromocriptine, cardiovascular effects, 85
Bronchus, contractile reponse, 173

Calcium:
  channels, spermine effects, 213
  coupling, angiotensin effect, 16
Captopril:
  immunoreactivity effect, 15
  noradrenaline release, 34
Carbazide-sensitive, amine oxidase, 7
Cardiac, receptors, prejunctional, 75
Carotid artery, responsiveness, 313
Cat, occular effect, dopamine agonist, 153

Catecholamines:
  uptake, 3, 10
  ventricular automaticity, 26
Cholecystokinin, gallbladder contraction, 191
Cholinergic agents, gallbladder contraction, 191
Chronotropic, response, dog atria, 39
COMT, rat lung, 12
Conotoxin:
  binding, 213
  neuronal interaction, 139
Contractile response:
  muscle, rat, 283
  non-cholinergic, 173, 297
Contraction, gallbladder, dogs, 191
Cow, adrenal medulla, desipramine binding, 10
Cromakalim, haemodynamic effects, dog, 261
Cystometry, pig bladder, 65

Deamination, dopamine, 25
Denervation, sympathetic, 9, 181
Desipramine, binding, 10
Diabetes:
  mice, 163
  rats, 9
Dog:
  atria chronotropic response, 39
  adrenergic binding, 17
  adrenoreceptors in veins, 23, 26
  cromakalim, 261
  gallbladder contraction, 191
Dopamine:
  agonist, occular effect, 153
  autoradiographic location of receptors, 373
  inhibition, 30, 34
  kidney, 5, 25
  receptor blockade, 20
  regulation by glutamate, 19
  release, 28
Dopexamine, adrenoceptors, 127

EIPA, noradrenaline inhibition, 33
Endothelial, cell removal, rat, 353
Epithelial, non-adrenergic inhibition, 273

Factor, relaxing, 4
Fibroblasts, liver, 181

Gallbladder, contraction, dog, 191
Gastric:
  acid secretion, 305
  fundus, response to drugs, 119
Gi protein, relaxing factor, 4
Glutamate, domamine synthesis, 19
GMP, relaxation response, 36
Granules, atrial, 9
Guinea-pig:
  adrenoceptors, myocardium, 127
  immunoblockade, 173
  immunoreactivity, captopril, 15
  noradrenaline, 31
  vas deferens, 15, 363

Haemin, pharmacological activities, 119
Haemodynamic effects, cromakalim, dog, 261
Hydrocortisone, hyperglycaemia, 32
Hydroxytryptamine:
  antagonist, 345
  uterine artery, 29
Hypertension, adrenoceptor mediation, 201
Hypotensive action, rats, 345
Hypoxia, cromakalim, dog, 261

Immunoblockade, non-cholinergic responses, 173
Immunoreactivity, captopril effect, 15
Incontinence, urinary, 65
Indomethacin, noradrenaline release, 30
Inhibition:
  aldose reductase, 9
  cholinesterase, 13
  non-adrenergic, epithelial, 273
  noradrenaline uptake, 33
  prostaglandin, 55
Innervation, adrenergic, artery wall, 19
Inotropic response, dog atria, 39
Interaction, conotoxin and neomycin, 139
Intestine:
  motility in diabetes, 163
  nerve stimulation, 323
  vasoactive peptide, 297
Iris, sphincter contraction, 20
Isoprenaline:
  antagonism, 21
  noradrenaline release, 35

Jejunum:
  antisecretory response, 109
  response to drugs, 119

Kidney:
  DA-1 receptors, 373
  dopamine deamination, 25
Kinetics, noradrenaline, 221

Lidocaine, potentiation effect, 35
Liver, fibroblasts, 181

Mechanisms, adrenergic, 3–38
Mesentery, nerve fibre stimulation, 323
Metabolism:
  methylamine, 28
  noradrenaline in blood, 11
Modulation:
  co-transmission, vas deferens, 363
  gastric acid secretion, 305
Monoamine oxidase, rat lung, 12
Motility, gut, in diabetes, 163
Mouse, gut motility in diabetes, 163
Muscarine, receptors, 20, 38, 39, 233
Muscle, contractile response, rat, 283
Myocardium:
  adrenoceptors, 127
  ventricular, 9

NANC, response, 273, 297
Natriuresis, dopamine receptors, 5
Natriuretic factor, 31, 34
Neomycin, neuronal interaction, 139
Nerve fibre, stimulation, 323
Neurotransmission, trachea, 297
Nicotine, β-blockers, 17
Nifidipine, depressor response, 49
Nitroprusside, depressor response, 49
Non-adrenergic response:
  epithelial, 273
  tracheal, 297
Noradrenaline:
  aorta response, 31
  carotid responsiveness, 313
  chronic infusions, 12
  induced by ouabain, 23
  inhibition, 20, 33
  inhomogeneity, 24
  intraneural disposition, 11
  kinetics, 221
  metabolism in blood, 11
  morphogenesis, 33
  prostaglandin modulation, 363
  release, 8, 29, 30, 34, 35
Normoxia, cromakalim, dog, 261

Occular effect, dopamine agonist, 153

Parasympathetic, adrenoceptors, 305
Phenylephrine:
  lidocaine potentiation, 35
  muscle response, 12
  vein, 26
Potassium, ATPase, 227
Pregnancy, rat, adrenoceptors, 353
Propranalol, antagonism, 21
Prostaglandin:
  guinea-pig vas deferens, 363
  inhibitors, 55
  rabbit artery, 27
Protein kinase, angiotensin, 29
Protoporphyrin IX, pharmacological activities, 119
Pulmonary, haemodynamic effects, cromakalim, 261

Quadriplegia, noradrenaline kinetics, 221

Rabbit:
  adrenoceptors, 16, 32
  angiotensis, 16
  captopril, 34
  carotid responsiveness, 313
  dopamine, 153
  EJPs, jejunal artery, 14
  gastric fundus, 119
  jejunum, 119
  muscle contraction, 283
  noradrenaline release, 8, 34
  prostaglandin, 27
  relaxing response, 36, 37
  release of DA and ACh, 28
  vas deferens, 55
Rat:
  adrenal medulla, 8
  adrenoceptors, 9, 22, 27, 38, 249, 333, 353
  amine oxidase, 13
  antagonism, 21
  antisecretory response, jejunum, 109
  atropine-resistant transmission, 97
  benzylamine on artery, 18
  bromocriptine, 85
  cardiac receptors, 75
  COMT, 12
  depressor responses, 49
  dopamine, 20, 25, 30, 34, 373
  5-HT antagonist, 345
  intestine, 323
  noradrenaline, 12, 24, 38
  pregnancy effects, adrenoceptors, 353

Rat *(cont.)*
tubular actions, renal nerve, 201
vas deferens, 55
vasodilator agents, 14
Receptors:
adrenergic, 85, 305
cardiac, prejunctional, 75
dopaminergic, 85
muscarinic, 20, 38, 39, 233
renal dopamine, 5
Relaxing factor, 4
Renal:
dopamine receptors, 373
nerve, tubular actions, 201
Responsiveness, carotid artery, 313

Secretion, gastric acid, 305
Sodium, ATPase, 227
Spermine, binding function, 213
Streptozotocin-diabetes, gut motility, 163
Supersensitivity, cardiac adrenoreceptors, 13
Sympathetic:
adrenoceptors, 305
denervation, liver fibroblasts, 181

Tachykinin, antiserum, immunoblockade, 173
Technique, function cardiac receptors, 75
Temperature dependence, α-receptors, 12, 249
Trachea, non-adrenergic inhibition, 273
Transduction, signal, 5
Transmission:
atropine-resistant, 97
neuroeffector, 29
rat adrenal medulla, 8
Transmitter, release, cultured neurons, 37
Tubular action, renal nerve, 201

Vagal, afferent activation, 345
Vas deferens:
guinea-pig, 15, 363
human, 55
rabbit, 55
rat, 22, 24, 55
Vasodilator agents, rat artery, 14
Vena cava, adrenoceptors, 249

Xylamine, neuroeffector transmission, 29